



MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: COD (L) Reagent R1

Supplier: Shenzhen Sinsche Technology Co.,Ltd.

ADD: 4/F , T3 Building, Silicon Valley Compound, Qingquan Road, Longhua Street, Longhua District, Shenzhen City, P.RC 518109.

Tel: +86 (755) 82127315 Fax: +86 (755) 82127860

Email:Sinsche@sinsche.com

Emergency telephone+86 (755) 82127315 (Mon-Fri 08:30- 18:00)

Chemical Name: Not applicable

CAS No.: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

PIN: NA

Intended Use: Laboratory Reagent Determination of ammonium nitrogen

Date of MSDS Preparation:

Day: 21

Month: June

Year: 2020

2. HAZARDS IDENTIFICATION

GHS Classification:

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1
Aquatic Acute Toxicity	Category 1

GHS Label Elements:

Danger



Signal word - Danger

Hazard statements

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H410 - Very toxic to aquatic life with long lasting effects



Precautionary statements

- P270 - Do not eat, drink or smoke when using this product
- P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray
- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
- P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
- P363 - Wash contaminated clothing before reuse
- P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P405 - Store locked up
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 - Immediately call a POISON CENTER or doctor
- P273 - Avoid release to the environment
- P391 - Collect spillage
- P501 - Dispose of contents/ container to an approved waste disposal plant
- P234 - Keep only in original container
- P390 - Absorb spillage to prevent material damage

Other Hazards Known

Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical Family Mixture.

Name	CAS-No.	Content
Potassium dichromate	7778-50-9	4-6%
Mercuric Sulfate	7783-35-9	94-96%

4. FIRST AID

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing, wash before reuse, and do not allow out of workplace. Call physician immediately.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.



Shenzhen Sinsche Technology Co.,Ltd

Ingestion (First Aid): Do not induce vomiting. Give large quantities of water. Never give anything by mouth to an unconscious person. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire,corrosive and toxic gases may be generated by thermal decomposition.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: Contact with metals gives off hydrogen gas which is flammable May react violently with:strong bases water

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only personsproperly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Releases of this material may contaminate the environment. Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment. Dike the spill to contain material for later disposal.

Clean-up Technique: Mercury and its compounds are extremely toxic! Be extremely careful not to contact the spill or breathe any vapors. Absorb spilled liquid with non-reactive sorbent material. Dispose of all mercury contaminated material at a government approved hazardous waste facility. Dispose of material in government approved hazardous waste facility. Decontaminate area with commercially available mercury absorbing compounds.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. Deny access to unnecessary and unprotected personnel. Remain up-wind from spilled material. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 137

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Use with adequate ventilation.Maintain general industrial hygiene practices when using this product.

Storage: Protect from: light contamination by organic materials (will affect product stability) heat

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT



Shenzhen Sinsche Technology Co.,Ltd

Engineering Controls: Use a fume hood to avoid exposure to dust, mist or vapor. Maintain general industrial hygiene practices when using this product. Refer to the OSHA Standard at 29CFR1910.1026 for Cr (VI) (See Federal Register 28 February 2006 Page 10100.)

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: disposable latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. lab coat

Inhalation Protection: laboratory fume hood

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Protect from: light organic materials heat Keep away from: alkalis metals other combustible materials oxidizers reducers

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 -

Composition/Information on Ingredients.:

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Colorless

Physical State: Liquid

Molecular Weight: Not applicable

Odor: None

Odor Threshold: Odorless

pH: < 1

Metal Corrosivity:

Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria.

Steel: Not determined

Aluminum: Not determined

Specific Gravity/ Relative Density (water = 1; air =1): Not determined

Viscosity: Not determined

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not applicable

Decomposition Temperature: Not determined

Boiling Point: Not determined

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not applicable

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire,corrosive and toxic gases may be generated by thermal decomposition.



Shenzhen Sinsche Technology Co.,Ltd

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS

Not classified as Gas under Pressure according to GHS criteria

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: May react violently in contact with: caustics

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: mercury compounds sulfur oxides

Conditions to Avoid: Exposure to light or contamination by organic materials will affect this product's stability.

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

ATE Oral rat LD50 = 270 mg/kg

ATE Dermal Rat LD50 = 57 mg/kg

ATE Inhalation Rat LC50 = 6 mg/l

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Target Organ(s) Central Nervous System Kidneys Reproductive System

Skin Corrosion/Irritation: Corrosive to skin.

Eye Damage: Based on classification principles, the classification criteria are not met.

Sensitization: Based on classification principles, the classification criteria are not met.

Carcinogenic, Mutagenic or Reproductive Toxin Effects: No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found. An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen IARC Group 3: Non-classifiable Sulfuric Acid - The IARC evaluation was



Shenzhen Sinsche Technology Co.,Ltd

based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes. Mercury and Inorganic Mercury compounds An ingredient of this mixture is: NTP Listed Group 1: Recognized Carcinogen

Sulfuric Acid Mist or Vapor This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion (EC): Causes: severe burns May cause: abdominal pain circulatory disturbances diarrhea loosening of the teeth nausea vomiting rapid pulse and respirations toxic nephritis (inflammation of the kidneys) shock collapse kidney damage death

Inhalation (EC): Toxic Causes: severe burns May cause: difficult breathing mouth soreness teeth erosion Effects similar to those of ingestion.

Skin Absorption (EC): Toxic Will be absorbed through the skin. Effects similar to those of ingestion

Chronic Effects: Chronic overexposure may cause destruction of any tissue contacted erosion of the teeth mouth soreness chronic irritation or inflammation of the lungs Mercury is a general protoplasmic poison; it circulates in the blood and is stored in the liver, kidneys, spleen and bones. Main symptoms are sore mouth, tremors and psychic disturbances.

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Allergies or sensitivity to mercury.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product. Mobility in soil: No data available

Ingredient Ecological Information: Sulfuric acid: the 48-hour TLm in flounder is 100 - 300 ppm. Mercury will ultimately reside in the bottom sediments. Mono and dimethyl mercury may be formed through microbial action. Many organisms can accumulate mercury from water up to 10 000 fold.

Mercuric Sulfate: CEPA statement: Persistent, inherently toxic to aquatic organisms, not bioaccumulative. Sulfuric acid:CEPA statement: Persistent, not inherently toxic to aquatic organisms or bioaccumulative.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002 D009

Special Instructions (Disposal): Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility. Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste in countries other than the US.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe:Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION



Shenzhen Sinsche Technology Co.,Ltd

D.O.T.:

D.O.T. Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S.

(Sulfuric Acid / Mercuric Sulfate Solution)

DOT Hazard Class: 8

DOT Subsidiary Risk: 6.1

DOT ID Number: UN2922

DOT Packing Group: II

T.D.G.:

T.D.G. Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S.

(Sulfuric Acid / Mercuric Sulfate Solution)

T.D.G. Hazard Class: 8

T.D.G. Subsidiary Risk: 6.1

PIN: 2922

Group: II

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S.

(Sulfuric Acid / Mercuric Sulfate Solution)

ICAO Hazard Class: 8

ICAO Subsidiary Risk: 6.1

ICAO ID Number: UN2922

ICAO Packing Group: II

I.M.O.:

I.M.O. Proper Shipping Name: Corrosive Liquid, Toxic, N.O.S.

(Sulfuric Acid / Mercuric Sulfate Solution)

I.M.O. Hazard Class: 8

I.M.O. Subsidiary Risk: 6.1

I.M.O. ID Number: UN2922

I.M.O. Packing Group: II

Marine Pollutant: Yes

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard
Delayed (Chronic) Health Hazard Reactive

S.A.R.A. Title III Section 313 (40 CFR 372): This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA.



Shenzhen Sinsche Technology Co.,Ltd

Mercury compounds, Sulfuric acid (acid aerosols including mists, vapors, gas, fog, and other airborne forms).

302 (EHS) TPQ (40 CFR 355): Sulfuric Acid 1000 lbs.

304 CERCLA RQ (40 CFR 302.4): Mercuric sulfate 10 lbs. Sulfuric Acid 1000 lbs.

304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.

Clean Water Act (40 CFR 116.4): Mercuric sulfate - RQ = 10 lbs. (4.54 kgs.) Sulfuric acid - RQ 1000 lbs.

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: WARNING - This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Identification of Prop. 65 Ingredient(s): Mercury and mercury compounds

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory Status: All ingredients of this product are AICS Listed.

New Zealand (ERMA) Inventory Status: LISTED: All components of this product are either listed, exempt or excluded.

Korean (TCCL) Inventory Status: LISTED: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (CHRIP) Inventory Status: LISTED: All components of this product are either listed, exempt or excluded.

China (PRC) Inventory Status: LISTED: All components of this product are either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Cassaret and Doull's Toxicology, 3rd Ed. New York: Macmillan Publishing Co., Inc., 1986. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Outside Testing. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.



Shenzhen Sinsche Technology Co.,Ltd

Verschueren, Karel. Handbook of Environmental Data on Organic Chemicals. New York: Van Nostrand Reinhold Co., 1977.

Complete Text of H phrases referred to in Section 3: H300: Fatal if swallowed. H310 Fatal in contact with skin.H331 Toxic if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H314 Causes severe skin burns and eye damage.

Legend:

NA - Not Applicable w/w - weight/weight

ND - Not Determined w/v - weight/volume

NV - Not Available v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.

HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA

OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION



Shenzhen Sinsche Technology Co.,Ltd

Product Name: COD (L) Reagent R2

Supplier: Shenzhen Sinsche Technology Co.,Ltd.

ADD: 4/F, T3 Building, Silicon Valley Compound, Qingquan Road, Longhua Street, Longhua District, Shenzhen City, P.R.C 518109.

Tel: +86 (755) 82127315 Fax: +86 (755) 82127860

Email: Sinsche@sinsche.com

Emergency telephone: +86 (755) 82127315 (Mon-Fri 08:30- 18:00)

Chemical Name: Not applicable

CAS No.: Not applicable

Chemical Formula: Not applicable

Chemical Family: Not applicable

PIN: NA

Intended Use: Laboratory Reagent Determination of ammonium nitrogen

Date of MSDS Preparation:

Day: 21

Month: June

Year: 2020

2. HAZARDS IDENTIFICATION

GHS Classification:

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Skin corrosion/irritation	Category 1
Aquatic Acute Toxicity	Category 1

GHS Label Elements:

Danger



Signal word - Danger

Hazard statements

H290 - May be corrosive to metals

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements

P270 - Do not eat, drink or smoke when using this product

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P260 - Do not breathe dust/fume/gas/mist/vapors/spray



Shenzhen Sinsche Technology Co.,Ltd

- P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
P363 - Wash contaminated clothing before reuse
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P405 - Store locked up
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor
P273 - Avoid release to the environment
P391 - Collect spillage
P501 - Dispose of contents/ container to an approved waste disposal plant
P234 - Keep only in original container
P390 - Absorb spillage to prevent material damage

Other Hazards Known

Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical Family

Mixture.

Name	EC No.	CAS-No.	Content
Silver Sulfate	233-653-7	10294-26-5	>95%

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

Ingestion (First Aid): Do not induce vomiting. Give large quantities of water. Never give anything by mouth to an unconscious person. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire,corrosive and toxic gases may be generated by thermal decomposition.



Shenzhen Sinsche Technology Co.,Ltd

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: Contact with metals gives off hydrogen gas which is flammable May react violently with:
strong bases water

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Releases of this material may contaminate the environment. Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment. Dike the spill to contain material for later disposal.

Clean-up Technique: Mercury and its compounds are extremely toxic! Be extremely careful not to contact the spill or breathe any vapors. Absorb spilled liquid with non-reactive sorbent material. Dispose of all mercury contaminated material at a government approved hazardous waste facility. Dispose of material in government approved hazardous waste facility. Decontaminate area with commercially available mercury absorbing compounds.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan)when: any quantity is spilled. Deny access to unnecessary and unprotected personnel. Remain up-wind from spilled material. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 137

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Use with adequate ventilation.Maintain general industrial hygiene practices when using this product.

Storage: Protect from: light contamination by organic materials (will affect product stability) heat

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use a fume hood to avoid exposure to dust, mist or vapor. Maintain general industrial hygiene practices when using this product. Refer to the OSHA Standard at 29CFR1910.1026 for Cr (VI) (See Federal Register 28 February 2006 Page 10100.)

Personal Protective Equipment:

Eye Protection: chemical splash goggles



Shenzhen Sinsche Technology Co.,Ltd

Skin Protection: disposable latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. lab coat

Inhalation Protection: laboratory fume hood

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Use with adequate ventilation. Protect from: light organic materials heat Keep away from: alkalis metals other combustible materials oxidizers reducers

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 -

Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless liquid

Physical State: Liquid

Molecular Weight: Not applicable

Odor: Not determined

Odor Threshold: Not applicable

pH: < 0.5

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.

Steel: Corrosive

Aluminum: Corrosive

Specific Gravity/ Relative Density (water = 1; air =1): Not determined

Viscosity: Not determined

Solubility:

Water: Miscible

Acid: Miscible

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: Not applicable

Decomposition Temperature: Not determined

Boiling Point: Not determined

Vapor Pressure: Not determined

Vapor Density (air = 1): Not determined

Evaporation Rate (water = 1): Not determined

Volatile Organic Compounds Content: Not applicable

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire,corrosive and toxic gases may be generated by thermal decomposition.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable



Shenzhen Sinsche Technology Co.,Ltd

Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: May react violently in contact with: caustics

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides

Conditions to Avoid: Exposure to light or contamination by organic materials will affect this product's stability.

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

ATE Oral Rat LD50 = 1840 mg/kg

ATE Dermal rat LD50 = 531818 mg/kg

ATE Inh rat LC50 = 30.2 mg/l

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Corrosive to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Contains Listed Carcinogen Data supporting mutagenicity was found. An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen Hexavalent Chromium Compounds Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes. An ingredient of this mixture is: NTP Listed Group 1: Recognized Carcinogen Hexavalent Chromium Compounds An ingredient of this product is an OSHA listed carcinogen. Hexavalent chromium (Cr6) compounds

Symptoms/Effects:



Shenzhen Sinsche Technology Co.,Ltd

Ingestion: Causes: severe burns May cause: abdominal pain circulatory disturbances diarrhea loosening of the teeth nausea vomiting liver damage allergic reaction yellow jaundice

Inhalation: Toxic Causes: severe burns May cause: difficult breathing mouth soreness teeth erosion Effects similar to those of ingestion.

Skin Absorption: Toxic Will be absorbed through the skin. Effects similar to those of ingestion

Chronic Effects: Chronic overexposure may cause destruction of any tissue contacted erosion of the teeth mouth soreness chronic irritation or inflammation of the lungs accumulation of silver in body tissues which causes a slate-gray to bluish discoloration. Chromate and dichromate salts may cause ulceration and perforation of the nasal septum, severe liver damage, central nervous system effects, and lung cancer.

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Allergies or sensitivity to chromates or chromic acid.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product. Mobility in soil: No data available

Ingredient Ecological Information: Sulfuric acid: The 24-hour TLm in flounder is 100-300 ppm. Potassium Dichromate, Silver Sulfate: CEPA statement: Persistent, inherently toxic to aquatic organisms, not bioaccumulative. Sulfuric Acid: CEPA statement: Persistent, not inherently toxic to aquatic organisms, or bioaccumulative.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002 D007 D011

Special Instructions (Disposal): Dispose of all mercury contaminated material at an E.P.A. hazardous waste facility. Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Sulphuric Acid

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN1830

Packing Group: II

T.D.G.:



Shenzhen Sinsche Technology Co.,Ltd

Proper Shipping Name: Sulphuric Acid Solution

--

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 1830

Packing Group: II

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Sulphuric Acid

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN1830

Packing Group: II

I.M.O.:

Proper Shipping Name: Sulphuric Acid

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN1830

Packing Group: II

Marine Pollutant:

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard
Delayed (Chronic) Health Hazard Reactive

S.A.R.A. Title III Section 313 (40 CFR 372): This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA.

Silver Compounds, Chromium Compounds, Sulfuric Acid (acid aerosols including mists, vapors, gas, fog and other airborne forms).

302 (EHS) TPQ (40 CFR 355): Sulfuric Acid 1000 lbs.

304 CERCLA RQ (40 CFR 302.4): Sulfuric Acid 1000 lbs. Potassium bichromate: 10 lbs.

304 EHS RQ (40 CFR 355): Sulfuric Acid - RQ 1000 lbs.

Clean Water Act (40 CFR 116.4): Sulfuric acid - RQ 1000 lbs. Potassium bichromate - RQ = 10 lbs. (4.54 kgs.)

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.



Shenzhen Sinsche Technology Co.,Ltd

State Regulations:

California Prop. 65: WARNING - This product contains a chemical known to the State of California to cause cancer.

Identification of Prop. 65 Ingredient(s): Chromium (hexavalent compounds)

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. Cassaret and Doull's Toxicology, 3rd Ed. New York: Macmillan Publishing Co., Inc., 1986. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Outside Testing. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Verschueren, Karel. Handbook of Environmental Data on Organic Chemicals. New York: Van Nostrand Reinhold Co., 1977.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H340 May cause genetic defects. H350 May cause cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable w/w - weight/weight



Shenzhen Sinsche Technology Co.,Ltd

ND - Not Determined w/v - weight/volume

NV - Not Available v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.

HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA

OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.